



ELSEVIER

Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

JOURNAL OF
COMPUTATIONAL AND
APPLIED MATHEMATICSwww.elsevier.com/locate/cam

Journal of Computational and Applied Mathematics 170 (2004) 469–493

Author Index Volumes 161–170 (2003–2004)

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

- | | | | |
|--|----------------|--------|---------|
| Abad, P. and J.P. Suárez , Bi-factorial analysis for resolution of GPS equations | 164–165 | (2004) | 1– 10 |
| Abd-el-Malek, M.B. , M.M. Kassem and M.L. Mekky , Similarity solutions for unsteady free-convection flow from a continuous moving vertical surface | 164–165 | (2004) | 11– 24 |
| Abou-Dina, M.S. and A.F. Ghaleb , A variant of Trefftz's method by boundary Fourier expansion for solving regular and singular plane boundary-value problems | 167 | (2004) | 363–387 |
| Addou, A. and J. Zahi , On the solvability of a unilateral obstacle problem on the boundary | 162 | (2003) | 193–199 |
| Aggoune, W. , H. Zahrouni and M. Potier-Ferry , High-order prediction–correction algorithms for unilateral contact problems | 168 | (2004) | 1– 9 |
| Ahn, Y.J. , Y.s. Kim and Y. Shin , Approximation of circular arcs and offset curves by Bézier curves of high degree | 167 | (2004) | 405–416 |
| Al-Enezi, S. , see Smaoui, N. | 170 | (2004) | 27– 58 |
| Al-Refai, M. , Existence, uniqueness and bounds for a problem in combustion theory | 167 | (2004) | 255–269 |
| Al-Shemas, E. and S.C. Billups , An iterative method for generalized set-valued nonlinear mixed quasi-variational inequalities | 170 | (2004) | 423–432 |
| Alanelli, M. and A. Hadjidimos , Block Gauss elimination followed by a classical iterative method for the solution of linear systems | 163 | (2004) | 381–400 |
| Alart, P. , see Renouf, M. | 168 | (2004) | 375–382 |
| Aliu, E. and J.J. Shepherd , Overlapping layers in a gas lubrication problem | 166 | (2004) | 1– 12 |
| Alobaidi, G. , see Mallier, R. | 164–165 | (2004) | 543–554 |
| Ameur, E.B. and D. Sbibi , Quadratic spline wavelets with arbitrary simple knots on the sphere | 162 | (2003) | 273–286 |
| Amirat, Y. and O. Bodart , Numerical approximation of laminar flows over rough walls with sharp asperities | 164–165 | (2004) | 25– 38 |
| Anderson, M. , see Carey, G.F. | 166 | (2004) | 55– 86 |
| Anh, V. , see Liu, F. | 166 | (2004) | 209–219 |
| Anuchina, N.N. , V.I. Volkov , V.A. Gordeychuk , N.S. Es'kov , O.S. Ilyutina and O.M. Kozyrev , Numerical simulations of | | | |

- Rayleigh–Taylor and Richtmyer–Meshkov instability using MAH-3 code 168 (2004) 11– 20
- Araaya, T.K.**, The Meixner–Pollaczek polynomials and a system of orthogonal polynomials in a strip 170 (2004) 241–254
- Archapitak, J.**, see **Wiwatanapataphee, B.** 166 (2004) 307–319
- Argyros, I.K.**, On the comparison of a weak variant of the Newton–Kantorovich and Miranda theorems 166 (2004) 585–589
- Argyros, I.K.**, On the Newton–Kantorovich hypothesis for solving equations 169 (2004) 315– 332
- Arnautovski-Toseva, V.** and **L. Grcev**, Electromagnetic analysis of horizontal wire in two-layered soil 168 (2004) 21– 29
- Axelsson, O.** and **S.V. Gololobov**, A combined method of local Green's functions and central difference method for singularly perturbed convection–diffusion problems 161 (2003) 245–257
- Bacaër, N.**, Numerical analysis of generalised max-plus eigenvalue problems 163 (2004) 79– 89
- Bacchelli, S.** and **S. Papi**, Filtered wavelet thresholding methods 164–165 (2004) 39– 52
- Baker Jr., G.A.**, Some structural properties of two counterexamples to the Baker–Gammel–Wills conjecture 161 (2003) 371–391
- Bañas, L'.**, Solution of convection–diffusion equation by the method of characteristics 168 (2004) 31– 39
- Banda, M.K.**, **M. Seaïd**, **A. Klar** and **L. Pareschi**, Compressible and incompressible limits for hyperbolic systems with relaxation 168 (2004) 41– 52
- Baratella, P.** and **A.P. Orsi**, A new approach to the numerical solution of weakly singular Volterra integral equations 163 (2004) 401–418
- Barkatou, M.A.**, On super-irreducible forms of linear differential systems with rational function coefficients 162 (2003) 1– 15
- Bartoszewski, Z.**, **T. Jankowski** and **M. Kwapisz**, On the convergence of iterative methods for general differential–algebraic systems 169 (2004) 393–418
- Batra, P.**, A property of the nearly optimal root-bound 167 (2004) 489–491
- Bazdidi-Tehrani, F.**, **A. Shahmir** and **A. Haghparast-Kashani**, Numerical analysis of a single row of coolant jets injected into a heated crossflow 168 (2004) 53– 63
- Belis, J.**, see **Vanlaere, W.** 168 (2004) 501–508
- Bellenger, E.** and **P. Coorevits**, New approach for automation of finite element analysis 168 (2004) 65– 75
- Benamou, J.-D.**, **O. Lafitte**, **I. Sollicec** and **R. Sentis**, A geometric optics method for high-frequency electromagnetic fields computations near fold caustics—Part II. The energy 167 (2004) 91–134
- Berezansky, L.** and **E. Braverman**, Linearized oscillation theory for a nonlinear delay impulsive equation 161 (2003) 477–495
- Bergheau, J.-M.**, see **Chamoret, D.** 168 (2004) 107–116
- Berres, S.**, **R. Bürger** and **K.H. Karlsen**, Central schemes and systems of conservation laws with discontinuous

- coefficients modeling gravity separation of polydisperse suspensions 164–165 (2004) 53– 80
- Berroukeche, M., A. Boussari, E.K. Maschke and B. Saramito**, Hopf bifurcation for tearing instability in magnetohydrodynamics, theory and numerical results 170 (2004) 291–301
- Berrut, J.-P. and H.D. Mittelmann**, Adaptive point shifts in rational approximation with optimized denominator 164–165 (2004) 81– 92
- Beška, M. and K. Dziedziul**, Mazur–Orlicz theorem and asymptotic formula for the error in supreme norm 167 (2004) 219–225
- Bielecki, A. and J. Ombach**, Shadowing property in analysis of neural networks dynamics 164–165 (2004) 107–115
- Bielecki, A., D. Jabłoński and M. Kedzierski**, Properties and applications of weakly nonlinear neurons 164–165 (2004) 93–106
- Billups, S.C.**, see **Al-Shemas, E.** 170 (2004) 423–432
- Bodart, O.**, see **Amirat, Y.** 164–165 (2004) 25– 38
- Boglaev, I. and V. Duoba**, On a uniform multidomain decomposition method applied to a singularly perturbed problem with regular boundary layers 166 (2004) 13– 29
- Boglaev, I.**, On monotone iterative methods for a nonlinear singularly perturbed reaction–diffusion problem 162 (2003) 445–466
- Bors, D. and S. Walczak**, Stability of nonlinear elliptic systems with distributed parameters and variable boundary data 164–165 (2004) 117–130
- Boudi, M.**, see **Boutyourn, E.H.** 168 (2004) 77– 85
- Boulmakoul, A.**, Generalized path-finding algorithms on semirings and the fuzzy shortest path problem 162 (2003) 263–272
- Bourchtein, A., V. Kadychnikov and L. Bourchtein**, Some properties of the vertical structure matrices of the atmospheric models 164–165 (2004) 131–144
- Bourchtein, L.**, see **Bourchtein, A.** 164–165 (2004) 131–144
- Boussari, A.**, see **Berroukeche, M.** 170 (2004) 291–301
- Boutyourn, E.H., H. Zahrouni, M. Potier-Ferry and M. Boudi**, Asymptotic-numerical method for buckling analysis of shell structures with large rotations 168 (2004) 77– 85
- Braikat, B.**, see **Daya, E.M.** 168 (2004) 117–124
- Braun, R.J.**, see **Naire, S.** 166 (2004) 385–410
- Braverman, E.**, see **Berezansky, L.** 161 (2003) 477–495
- Brigadnov, I.A.**, Duality method for limit analysis of dielectrics in powerful electric fields 168 (2004) 87– 94
- Brugnano, L. and C. Magherini**, The BiM code for the numerical solution of ODEs Dedicated to Prof. J.C. Butcher on the occasion of his 70th birthday 164–165 (2004) 145–158
- Buchwald, B. and G. Mühlbach**, On rational B-splines with prescribed poles 167 (2004) 271–291
- Buffel, P.**, see **Vanlaere, W.** 168 (2004) 501–508
- Bujanda, B. and J.C. Jorge**, Efficient linearly implicit methods for nonlinear multidimensional parabolic problems 164–165 (2004) 159–174
- Bujanda, B.**, see **Jorge, J.C.** 166 (2004) 167–180

- Bultheel, A., M. Van Barel and P. Van gucht**, Orthogonal basis functions in discrete least-squares rational approximation 164–165 (2004) 175–194
- Bultheel, A.**, see **Maes, J.** 170 (2004) 181–196
- Bultheel, A.**, see **Van Deun, J.** 164–165 (2004) 749–762
- Bürger, R.**, see **Berres, S.** 164–165 (2004) 53– 80
- Burrage, K.**, see **Burrage, P.M.** 170 (2004) 317–336
- Burrage, P.M., R. Herdiana and K. Burrage**, Adaptive stepsize based on control theory for stochastic differential equations 170 (2004) 317–336
- Cahlon, B. and D. Schmidt**, Stability criteria for certain second-order delay differential equations with mixed coefficients 170 (2004) 79–102
- Cai, X. and F. Liu**, Uniform convergence difference schemes for singularly perturbed mixed boundary problems 166 (2004) 31– 54
- Calvo, M.P. and A. Portillo**, Are high order variable step equistage initializers better than standard starting algorithms? 169 (2004) 333–344
- Campigotto, C.**, see **Smirnov, Y.F.** 164–165 (2004) 643–660
- Cao, W.**, see **Liu, M.** 170 (2004) 255–268
- Cap, F.F.**, An inhomogeneous eigenvalue problem 167 (2004) 243–249
- Caperaa, S.**, see **Pantalé, O.** 168 (2004) 341–351
- Carey, G., N. Fowkes, A. Staelens and A. Pardhanani**, A class of coupled nonlinear reaction diffusion models exhibiting fingering 166 (2004) 87– 99
- Carey, G.F., M. Anderson, B. Carnes and B. Kirk**, Some aspects of adaptive grid technology related to boundary and interior layers 166 (2004) 55– 86
- Carneiro de Araujo, J.H.**, see **Ruas, V.** 168 (2004) 393–402
- Carnes, B.**, see **Carey, G.F.** 166 (2004) 55– 86
- Casas, F.**, Numerical integration methods for the double-bracket flow 166 (2004) 477–495
- Castillo, Á.**, see **Rivero, C.** 166 (2004) 535–551
- Causin, P. and R. Sacco**, Mixed-hybrid finite elements for the simulation of thermal oxidation in semiconductors 168 (2004) 95–105
- Chamoret, D., P. Saillard, A. Rassineux and J.-M. Bergheau**, New smoothing procedures in contact mechanics 168 (2004) 107–116
- Chan, C.K.**, see **Li, X.-G.** 167 (2004) 227–241
- Chan, C.K.**, see **Yang, W.B.** 163 (2004) 311–318
- Chan, C.K.**, see **Yu, K.F.** 163 (2004) 319–331
- Chang, D.-W.**, A note on the upper bound of the spectral radius for SOR iteration matrix 167 (2004) 251–253
- Chao, H. and M. Wei**, Rate scalable video coding technology based on flexible block wavelet 163 (2004) 91–100
- Chapko, R. and P. Kügler**, A comparison of the Landweber method and the Gauss–Newton method for an inverse parabolic boundary value problem 169 (2004) 183–196
- Chen, G. and Z. Jia**, An analogue of the results of Saad and Stewart for harmonic Ritz vectors 167 (2004) 493–498

Chen, K. , see Hussein, A.	164–165	(2004)	419–430
Chen, L. , see Lu, Z.	166	(2004)	411–425
Chen, S., Q. Zhang and C. Wang , Existence and stability of equilibria of the continuous-time Hopfield neural network	169	(2004)	117–125
Chi, X. , see Lu, Z.	166	(2004)	411–425
Cimrák, I. and M. Slodička , An iterative approximation scheme for the Landau–Lifshitz–Gilbert equation	169	(2004)	17– 32
Clavero, C. and J.L. Gracia , HODIE finite difference schemes on generalized Shishkin meshes	164–165	(2004)	195–206
Coffey, M.W. , Relations and positivity results for the derivatives of the Riemann ξ function	166	(2004)	525–534
Coorevits, P. , see Bellenger, E.	168	(2004)	65– 75
Coorevits, P. , see Fortin, J.	168	(2004)	207–213
Cousteix, J. and J. Mauss , Approximations of the Navier–Stokes equations for high Reynolds number flows past a solid wall	166	(2004)	101–122
Cui, L. , see Liang, X.Z.	163	(2004)	177–187
Dag, I. , see Kutluay, S.	167	(2004)	21– 33
D’Alessio, S.J.D., J.P. Pascal and T.B. Moodie , Thermally enhanced gravity driven flows	170	(2004)	1– 25
Dall’Osso, A. , An iterative back substitution algorithm for the solution of tridiagonal matrix systems with fringes	169	(2004)	87– 99
Damil, N. , see Daya, E.M.	168	(2004)	117–124
Danilin, A.N., D.V. Snegovski and D.B. Volkov-Bogorodski , On implicit algorithms of continuation method with applications to dynamic systems	164–165	(2004)	207–224
Danković, B. , see Marinković, S.D.	163	(2004)	419–427
Davies, P.I. and M.I. Smith , Updating the singular value decomposition	170	(2004)	145–167
Daya, E.M., B. Braikat, N. Damil and M. Potier-Ferry , Modelisation of modulated vibration modes of repetitive structures	168	(2004)	117–124
De Bonis, M.C., C. Frammartino and G. Mastroianni , Numerical methods for some special Fredholm integral equations on the real line	164–165	(2004)	225–243
De Gersem, H., K. Hameyer and T. Weiland , Field–circuit coupled models in electromagnetic simulation	168	(2004)	125–133
De Proft, K., L.J. Sluys and W.P. De Wilde , A discrete model for cyclic mode I loading	168	(2004)	135–144
De Schepper, A. , see Goovaerts, M.	164–165	(2004)	337–364
De Wilde, W.P. , see De Proft, K.	168	(2004)	135–144
Debongnie, J.-F. , see Masset, L.	168	(2004)	309–320
Decamps, M. , see Goovaerts, M.	164–165	(2004)	337–364
Delgado, V., G. Kasperski and G. Labrosse , Spectrally accurate numerical incompressible flows with deformed boundaries: a finite volume preconditioning method	168	(2004)	145–154

- Demetriou, I.C.**, A theorem for piecewise convex–concave data approximation 164–165 (2004) 245–254
- Demkowicz, L.F.**, see **Gopalakrishnan, J.** 167 (2004) 163–182
- Deng, Y., X. Hu and L. Zhang**, The solvability conditions for the inverse eigenvalue problem of the symmetrizable matrices 163 (2004) 101–106
- Desjardins, B., E. Dormy and E. Grenier**, Boundary layer instability at the top of the Earth's outer core 166 (2004) 123–131
- Desmet, W.**, see **Pluymers, B.** 168 (2004) 353–364
- Diao, H., Y. Wei and S. Qiao**, Displacement rank of the Drazin inverse 167 (2004) 147–161
- Dick, E.**, see **Vande Voorde, J.** 168 (2004) 491–499
- Dick, E.**, see **Vierendeels, J.** 168 (2004) 509–517
- Dieci, L., C. Elia and L. Lopez**, Smooth SVD on the Lorentz group with application to computation of Lyapunov exponents 164–165 (2004) 255–264
- Dierckx, P.**, see **Maes, J.** 170 (2004) 181–196
- Dmytryshyn, R.I.**, The multidimensional generalization of g -fractions and their application 164–165 (2004) 265–284
- Domingo-Ferrer, J. and V. Torra**, Disclosure risk assessment in statistical data protection 164–165 (2004) 285–293
- Domínguez, V.**, High-order collocation and quadrature methods for some logarithmic kernel integral equations on open arcs 161 (2003) 145–159
- Dormy, E.**, see **Desjardins, B.** 166 (2004) 123–131
- Dostál, Z.**, see **Haslinger, J.** 164–165 (2004) 387–408
- Dragut, A.B.**, A weakly monotonic backward induction algorithm on finite bounded subsets of vector lattices 164–165 (2004) 295–306
- Du, N.H., R. Kon, K. Sato and Y. Takeuchi**, Dynamical behavior of Lotka–Volterra competition systems: non-autonomous bistable case and the effect of telegraph noise 170 (2004) 399–422
- Dubois, F.**, see **Renouf, M.** 168 (2004) 375–382
- Dubroca, B.**, see **Seaïd, M.** 168 (2004) 425–435
- Duflot, M. and H. Nguyen-Dang**, Fatigue crack growth analysis by an enriched meshless method 168 (2004) 155–164
- Dular, P.**, The benefits of nodal and edge elements coupling for discretizing global constraints in dual magnetodynamic formulations 168 (2004) 165–178
- Dular, P.**, see **Gyselinck, J.** 168 (2004) 225–234
- Dular, P.**, see **Sabariego, R.V.** 168 (2004) 403–412
- Duoba, V.**, see **Boglaev, I.** 166 (2004) 13–29
- Dupré, L.**, see **Sergeant, P.** 168 (2004) 437–446
- Dziedziul, K.**, see **Beška, M.** 167 (2004) 219–225
- El Bernoussi, S.**, Best ellipsoidal relaxation to solve a nonconvex problem 162 (2003) 183–191
- El Hajji, S.**, see **Essaouini, M.** 162 (2003) 165–181
- El-Mikkawy, M.E.A.**, A fast algorithm for evaluating n th order tri-diagonal determinants 166 (2004) 581–584

Elia, C. , see Dieci, L.	164–165	(2004)	255–264
Esen, A. , see Kutluay, S.	167	(2004)	21– 33
Es'kov, N.S. , see Anuchina, N.N.	168	(2004)	11– 20
Essaouini, M. , A. Nachaoui and S. El Hajji , Numerical method for solving a class of nonlinear elliptic inverse problems	162	(2003)	165–181
Essers, J.-A. , see Vaassen, J.-M.	168	(2004)	481–489
Evans, G.A. , Multiple quadrature using highly oscillatory quadrature methods	163	(2004)	1– 13
Eymard, R. , T. Gallouët and J. Vovelle , Limit boundary conditions for finite volume approximations of some physical problems	161	(2003)	349–369
Ezquerro, J.A. and M.A. Hernández , On Halley-type iterations with free second derivative	170	(2004)	455–459
Fabijonas, B.R. , D.W. Lozier and J.M. Rappoport , Algorithms and codes for the Macdonald function: recent progress and comparisons	161	(2003)	179–192
Fan, Z. , see Liu, M.	170	(2004)	255–268
Farouki, R.T. , C.Y. Han , C. Manni and A. Sestini , Characterization and construction of helical polynomial space curves	162	(2003)	365–392
Farrell, P.A. , A.F. Hegarty , J.J.H. Miller , E. O'Riordan and G.I. Shishkin , Singularly perturbed convection–diffusion problems with boundary and weak interior layers	166	(2004)	133–151
Feldheim, V. and P. Lybaert , Solution of radiative heat transfer problems with the discrete transfer method applied to triangular meshes	168	(2004)	179–190
Feng, C. and P. Wang , Almost periodic solutions of forced Liénard-type equations with time delays	161	(2003)	67– 74
Fengzhi, L. , see Zhongxuan, L.	163	(2004)	199–210
Ferdinand, R.R. , Numerical scheme approximating solution and parameters in a beam equation	161	(2003)	469–476
Flemisch, B. , Y. Maday , F. Rapetti and B.I. Wohlmuth , Coupling scalar and vector potentials on nonmatching grids for eddy currents in a moving conductor	168	(2004)	191–205
Fokas, A.S. , see Fulton, S.R.	167	(2004)	465–483
Fornberg, B. , see Lee, J.	166	(2004)	497–523
Fortin, J. and P. Coorevits , Selecting contact particles in dynamics granular mechanics systems	168	(2004)	207–213
Foupouagnigni, M. , W. Koepf and A. Ronveaux , Factorization of fourth-order differential equations for perturbed classical orthogonal polynomials	162	(2003)	299–326
Fowkes, N. , see Carey, G.	166	(2004)	87– 99
Frammartino, C. , see De Bonis, M.C.	164–165	(2004)	225–243
Franco, J.M. , A 5(3) pair of explicit ARKN methods for the numerical integration of perturbed oscillators	161	(2003)	283–293
Franco, J.M. , Exponentially fitted explicit Runge–Kutta–Nyström methods	167	(2004)	1– 19

- Frank, M.**, see **Seaïd, M.** 170 (2004) 217–239
- Frauenthiener, J.** and **C. Klein**, Hyperelliptic theta-functions and spectral methods 167 (2004) 193–218
- French, D.A.**, Analysis of the convergence behavior of the static localized nonlinear approximation for a problem in electromagnetism 161 (2003) 27– 39
- Fu, C.-L.**, Simplified Tikhonov and Fourier regularization methods on a general sideways parabolic equation 167 (2004) 449–463
- Fulton, S.R.**, **A.S. Fokas** and **C.A. Xenophontos**, An analytical method for linear elliptic PDEs and its numerical implementation 167 (2004) 465–483
- Gallivan, K.**, **A. Vandendorpe** and **P. Van Dooren**, Sylvester equations and projection-based model reduction 162 (2003) 213–229
- Gallouët, T.**, see **Eymard, R.** 161 (2003) 349–369
- Ganesh, M.**, Fully discrete spectral methods for boundary integral equations on slender spheroids 164–165 (2004) 307–322
- Gao, C.**, see **Luo, X.** 163 (2004) 189–197
- Garrappa, R.**, An analysis of convergence for two-stage wave-form relaxation methods 169 (2004) 377–392
- Ge, W.**, see **Lu, S.** 166 (2004) 371–383
- Geuzaine, C.**, see **Gyselinck, J.** 168 (2004) 225–234
- Geuzaine, C.**, see **Nicolet, A.** 168 (2004) 321–329
- Geuzaine, C.**, see **Sabariego, R.V.** 168 (2004) 403–412
- Ghaleb, A.F.**, see **Abou-Dina, M.S.** 167 (2004) 363–387
- Ghelardoni, P.**, **G. Gheri** and **M. Marletta**, A quasi-extrapolation procedure for error estimation of numerical methods in Sturm–Liouville eigenproblems 164–165 (2004) 323–335
- Gheri, G.**, see **Ghelardoni, P.** 164–165 (2004) 323–335
- Ghoreishi, F.** and **S.M. Hosseini**, The Tau method and a new preconditioner 163 (2004) 351–379
- Giné, J.** and **X. Santallusia**, Implementation of a new algorithm of computation of the Poincaré–Liapunov constants 166 (2004) 465–476
- Gobbert, M.K.**, see **Hanhart, A.L.** 169 (2004) 431–458
- Gololobov, S.V.**, see **Axelsson, O.** 161 (2003) 245–257
- Goovaerts, M.**, **A. De Schepper** and **M. Decamps**, Closed-form approximations for diffusion densities: a path integral approach 164–165 (2004) 337–364
- Gopalakrishnan, J.** and **L.F. Demkowicz**, Quasioptimality of some spectral mixed methods 167 (2004) 163–182
- Gorbatikh, L.**, Mathematical and computational aspects of nonuniform frictional slip modeling 168 (2004) 215–224
- Gordeychuk, V.A.**, see **Anuchina, N.N.** 168 (2004) 11– 20
- Gracia, J.L.**, see **Clavero, C.** 164–165 (2004) 195–206
- Granvilliers, L.**, An interval component for continuous constraints 162 (2003) 79– 92
- Grcev, L.**, see **Arnautovski-Toseva, V.** 168 (2004) 21– 29

- Grenier, E.**, see **Desjardins, B.** 166 (2004) 123–131
- Grünbaum, F.A.** and **P. Iliev**, A noncommutative version of the bispectral problem 161 (2003) 99–118
- Gu, C.**, Matrix Padé-type approximant and directional matrix Padé approximant in the inner product space 164–165 (2004) 365–385
- Gu, C.**, see **Wang, J.** 163 (2004) 241–252
- Guan, L.** and **B. Liu**, Surface design by natural splines over refined grid points 163 (2004) 107–115
- Guan, Y.-j.**, **L.-w. Han** and **Y. Zhou**, M-band subdivision of multivariate B-spline 163 (2004) 117–126
- Guenneau, S.**, see **Nicolet, A.** 168 (2004) 321–329
- Guessous, N.** and **O. Souhar**, Multilevel block ILU preconditioner for sparse nonsymmetric M -matrices 162 (2003) 231–246
- Guo, S.** and **L. Huang**, Periodic solutions in an inhibitory two-neuron network 161 (2003) 217–229
- Guo, Y.** and **J. Tian**, Two positive solutions for second-order quasilinear differential equation boundary value problems with sign changing nonlinearities 169 (2004) 345–357
- Gyselinck, J.**, **C. Geuzaine**, **P. Dular** and **W. Legros**, Multiharmonic modelling of motional magnetic field problems using a hybrid finite element–boundary element discretisation 168 (2004) 225–234
- Gyselinck, J.**, see **Sabariego, R.V.** 168 (2004) 403–412
- Hadjidimos, A.**, see **Alanelli, M.** 163 (2004) 381–400
- Haghighparast-Kashani, A.**, see **Bazdidi-Tehrani, F.** 168 (2004) 53–63
- Ham, Y.M.** and **S.-G., L.**, Effects on global coupling of an interface problem in an activator–inhibitor system 162 (2003) 393–409
- Hameyer, K.**, see **De Gersem, H.** 168 (2004) 125–133
- Hameyer, K.**, see **Henrotte, F.** 168 (2004) 235–243
- Hameyer, K.**, see **Lahaye, D.** 168 (2004) 267–275
- Han, C.Y.**, see **Farouki, R.T.** 162 (2003) 365–392
- Han, D.**, A proximal decomposition algorithm for variational inequality problems 161 (2003) 231–244
- Han, L.-w.**, see **Guan, Y.-j.** 163 (2004) 117–126
- Hanhart, A.L.**, **M.K. Gobbett** and **L.T. Izu**, A memory-efficient finite element method for systems of reaction–diffusion equations with non-smooth forcing 169 (2004) 431–458
- Harada, K.**, see **Niki, H.** 164–165 (2004) 587–600
- Hasegawa, T.**, Uniform approximations to finite Hilbert transform and its derivative 163 (2004) 127–138
- Haslinger, J.**, **R. Kučera** and **Z. Dostál**, An algorithm for the numerical realization of 3D contact problems with Coulomb friction 164–165 (2004) 387–408
- He, Z.**, On the existence of positive solutions of p -Laplacian difference equations 161 (2003) 193–201
- Hédou-Rouillier, V.**, A finite difference method to solve the forward problem in electroencephalography (EEG) 167 (2004) 35–58

- Hegarty, A.F.**, see **Farrell, P.A.** 166 (2004) 133–151
- Henrotte, F.** and **K. Hameyer**, Computation of electromagnetic force densities: Maxwell stress tensor vs. virtual work principle 168 (2004) 235–243
- Herdiana, R.**, see **Burrage, P.M.** 170 (2004) 317–336
- Hernández, M.A.** and **M.J. Rubio**, A modification of Newton's method for nondifferentiable equations 164–165 (2004) 409–417
- Hernández, M.A.**, see **Ezquerro, J.A.** 170 (2004) 455–459
- Homeier, H.H.H.**, A modified Newton method with cubic convergence: the multivariate case 169 (2004) 161–169
- Hooman, K.** and **A.A. Ranjbar-Kani**, A perturbation based analysis to investigate forced convection in a porous saturated tube 162 (2003) 411–419
- Hoppe, R.H.W.**, Adaptive multigrid and domain decomposition methods in the computation of electromagnetic fields 168 (2004) 245–254
- Horák, J.** and **W. Reichel**, Analytical and numerical results for the Fučík spectrum of the Laplacian 161 (2003) 313–338
- Hosseini, S.M.**, see **Ghoreishi, F.** 163 (2004) 351–379
- Hsu, C.-H.**, see **Li, Z.-C.** 166 (2004) 181–208
- Hu, H.-Y.**, see **Li, Z.-C.** 166 (2004) 181–208
- Hu, X.**, see **Deng, Y.** 163 (2004) 101–106
- Huang, C.-S.**, **S. Wang** and **K.L. Teo**, On application of an alternating direction method to Hamilton–Jacobi–Bellman equations 166 (2004) 153–166
- Huang, D.**, **F. Li** and **L. Yang**, L^1 -Based decomposition and reconstruction algorithms and W-matrices 163 (2004) 139–153
- Huang, D.**, see **Zhang, Z.** 163 (2004) 333–342
- Huang, L.**, see **Guo, S.** 161 (2003) 217–229
- Huang, T.-Z.**, see **Wang, Z.-D.** 169 (2004) 45–51
- Huang, X.**, see **Qian, X.** 163 (2004) 211–217
- Hui, W.H.**, A unified coordinates approach to computational fluid dynamics 163 (2004) 15–28
- Huo, H.-F.** and **W.-T. Li**, Periodic solution of a delayed predator–prey system with Michaelis–Menten type functional response 166 (2004) 453–463
- Hussein, A.** and **K. Chen**, Fast computational methods for locating fold points for the power flow equations 164–165 (2004) 419–430
- Iliev, P.**, see **Grünbaum, F.A.** 161 (2003) 99–118
- Ilyutina, O.S.**, see **Anuchina, N.N.** 168 (2004) 11–20
- Ismail, A.**, see **Mahmoud, M.S.** 169 (2004) 53–69
- Izu, L.T.**, see **Hanhart, A.L.** 169 (2004) 431–458
- Jabłoński, D.**, see **Bielecki, A.** 164–165 (2004) 93–106
- Jackiewicz, Z.**, **H. Podhaický** and **R. Weiner**, Construction of highly stable two-step W-methods for ordinary differential equations 167 (2004) 389–403
- Jankowski, T.**, see **Bartoszewski, Z.** 169 (2004) 393–418

Jeannerod, C.-P. , On matrix perturbations with minimal leading Jordan structure	162	(2003)	113–132
Ji, H.B. , A global convergent algorithm for flows in a two-dimensional network	167	(2004)	135–146
Jia, Z. , see Chen, G.	167	(2004)	493–498
Jiang, P. , see Tan, J.	163	(2004)	219–232
Jin, J. and X. Wu , The singular finite element method for some elliptic boundary value problem with interface	170	(2004)	197–216
Jin, X.-Q. , V.-k. Sin and L.-l. Song , Circulant preconditioned WR-BVM methods for ODE systems	162	(2003)	201–211
Jin, X.-q. , V.-k. Sin and L.-l. Song , Preconditioned WR-LMF-based method for ODE systems	162	(2003)	431–444
Jorge, J.C. and B. Bujanda , Numerical methods for evolutionary reaction–diffusion problems with nonlinear reaction terms	166	(2004)	167–180
Jorge, J.C. , see Bujanda, B.	164–165	(2004)	159–174
Jukić, D. , G. Kralik and R. Scitovski , Least-squares fitting Gompertz curve	169	(2004)	359–375
Jung, J.-H. , see Shizgal, B.D.	161	(2003)	41– 65
Junghanns, P. , Optimal control for a parametrized family of nonlinear Cauchy singular integral equations	164–165	(2004)	431–454
Kadychnikov, V. , see Bourchtein, A.	164–165	(2004)	131–144
Kaltofen, E. and G. Villard , Computing the sign or the value of the determinant of an integer matrix, a complexity survey	162	(2003)	133–146
Kang, S.-Y. , Volterra method for the radial Schrödinger equation	169	(2004)	277–296
Karlsen, K.H. , see Berres, S.	164–165	(2004)	53– 80
Kasperski, G. , see Delgado, V.	168	(2004)	145–154
Kassem, M.M. , see Abd-el-Malek, M.B.	164–165	(2004)	11– 24
Kawai, F. , see Watanabe, M.	161	(2003)	133–144
Keast, P. , see Wang, R.	169	(2004)	127–150
Kedzierski, M. , see Bielecki, A.	164–165	(2004)	93–106
Kelner, V. and O. Léonard , Application of genetic algorithms to lubrication pump stacking design	168	(2004)	255–265
Kim, S.W. , see Yun, J.H.	166	(2004)	565–580
Kim, Y.s. , see Ahn, Y.J.	167	(2004)	405–416
Kim, Y.S. , see Rathie, A.K.	167	(2004)	485–487
Kirk, B. , see Carey, G.F.	166	(2004)	55– 86
Klar, A. , see Banda, M.K.	168	(2004)	41– 52
Klar, A. , see Seaïd, M.	168	(2004)	425–435
Klar, A. , see Seaïd, M.	170	(2004)	217–239
Klein, C. , see Frauenthiener, J.	167	(2004)	193–218
Knabner, P. , see Pop, I.S.	168	(2004)	365–373
Knowles, I. , T. Le and A. Yan , On the recovery of multiple flow parameters from transient head data	169	(2004)	1– 15
Koepf, W. , see Foupouagnigni, M.	162	(2003)	299–326

Kok, H.P. , see Zegeling, P.A.	168	(2004)	519–528
Kon, R. , see Du, N.H.	170	(2004)	399–422
Kontoghiorghes, E.J. , Computational methods for modifying seemingly unrelated regressions models	162	(2003)	247–261
Koren, B. , see Miller, J.J.H.	166	(2004)	221–232
Koto, T. , Stability of θ -methods for delay integro-differential equations	161	(2003)	393–404
Kouibia, A. and M. Pasadas , Construction of surfaces by discrete variational splines with parallelism conditions	164–165	(2004)	455–467
Kozyrev, O.M. , see Anuchina, N.N.	168	(2004)	11– 20
Kralik, G. , see Jukić, D.	169	(2004)	359–375
Krandick, W. , Trees and jumps and real roots	162	(2003)	51– 55
Kravanja, P. , T. Sakurai , H. Sugiura and M. Van Barel , A perturbation result for generalized eigenvalue problems and its application to error estimation in a quadrature method for computing zeros of analytic functions	161	(2003)	339–347
Kress, R. and K.-M. Lee , Integral equation methods for scattering from an impedance crack	161	(2003)	161–177
Kučera, R. , see Haslinger, J.	164–165	(2004)	387–408
Kügler, P. , see Chapko, R.	169	(2004)	183–196
Kunis, S. and D. Potts , Fast spherical Fourier algorithms	161	(2003)	75– 98
Kutluay, S. , A. Esen and I. Dag , Numerical solutions of the Burgers' equation by the least-squares quadratic B-spline finite element method	167	(2004)	21– 33
Kwapisz, M. , see Bartoszewski, Z.	169	(2004)	393–418
Kwon, K.H. and D.W. Lee , Tchebycheff polynomials on a disk	162	(2003)	359–363
Labrosse, G. , see Delgado, V.	168	(2004)	145–154
Lafitte, O. , see Benamou, J.-D.	167	(2004)	91–134
Lagae, G. , see Vanlaere, W.	168	(2004)	501–508
Lahaye, D. , S. Vandewalle and K. Hameyer , An algebraic multilevel preconditioner for field-circuit coupled problems	168	(2004)	267–275
Lai, K.K. , see Mishra, S.K.	167	(2004)	59– 71
Lamba, H. , An adaptive timestepping algorithm for stochastic differential equations	161	(2003)	417–430
Langlois, P. , More accuracy at fixed precision	162	(2003)	57– 77
Langville, A.N. and W.J. Stewart , The Kronecker product and stochastic automata networks	167	(2004)	429–447
Laouafa, F. and P. Royis , An iterative algorithm for finite element analysis	164–165	(2004)	469–491
Laschet, G. , Homogenization of the fluid flow and heat transfer in transpiration cooled multi-layer plates	168	(2004)	277–288
Lau, K.S. , see Yu, K.F.	163	(2004)	319–331
Le, T. , see Knowles, I.	169	(2004)	1– 15
Lee, D.W. , see Kwon, K.H.	162	(2003)	359–363
Lee, J. and B. Fornberg , Some unconditionally stable time stepping methods for the 3D Maxwell's equations	166	(2004)	497–523

Lee, K.-M. , see Kress, R.	161	(2003)	161–177
Lee, S.-G. , see Ham, Y.M.	162	(2003)	393–409
Legros, W. , see Gyselinck, J.	168	(2004)	225–234
Legros, W. , see Sabariego, R.V.	168	(2004)	403–412
Léonard, O. , see Kelner, V.	168	(2004)	255–265
Li, C.-J. and R.-H. Wang , The multivariate quartic NURBS surfaces	163	(2004)	155–164
Li, F. , see Huang, D.	163	(2004)	139–153
Li, K. , see Zhang, Z.	162	(2003)	327–340
Li, R. and D. Zhou , A note on the eigenvalue relationship for USAOR iterative method applied to p-cyclic matrices	169	(2004)	213–225
Li, W. , see Tang, C.	169	(2004)	171–182
Li, W.-T. and H.-R. Sun , Multiple positive solutions for nonlinear dynamical systems on a measure chain	162	(2003)	421–430
Li, W.-T. , see Huo, H.-F.	166	(2004)	453–463
Li, W.-T. , see Wang, L.-L.	162	(2003)	341–357
Li, X.-G. and C.K. Chan , High-order schemes for Hamilton–Jacobi equations on triangular meshes	167	(2004)	227–241
Li, Y. , see Wang, R.	163	(2004)	277–285
Li, Z. , W. Wu and Y. Tian , Convergence of an online gradient method for feedforward neural networks with stochastic inputs	163	(2004)	165–176
Li, Z.-C. , H.-Y. Hu , C.-H. Hsu and S. Wang , Particular solutions of singularly perturbed partial differential equations with constant coefficients in rectangular domains, Part I. Convergence analysis	166	(2004)	181–208
Liang, X.-Z. , L.-H. Cui and J.-L. Zhang , The application of Cayley–Bacharach Theorem to bivariate Lagrange interpolation	163	(2004)	177–187
Lievens, S. , Expansion formulas for terminating balanced ${}_4F_3$ -series from the Biedenharn–Elliot identity for $\mathfrak{su}(1, 1)$	169	(2004)	419–430
Lim, C.C. , see To, K.N.	163	(2004)	233–239
Limić, N. and M. Rogina , Numerical solutions of Dirichlet problem for elliptic operator in divergence form with a right-hand side measure	164–165	(2004)	493–516
Lin, W.Y. , see Yang, W.B.	163	(2004)	311–318
Ling, Y. , see Liu, F.	169	(2004)	459–474
Liu, B. , see Guan, L.	163	(2004)	107–115
Liu, F. , see Cai, X.	166	(2004)	31– 54
Liu, F. , V. Anh and I. Turner , Numerical solution of the space fractional Fokker–Planck equation	166	(2004)	209–219
Liu, F. , Y. Ling , X. Xia and X. Shi , Wavelet methods for Ground Penetrating Radar imaging	169	(2004)	459–474
Liu, M. , W. Cao and Z. Fan , Convergence and stability of the semi-implicit Euler method for a linear stochastic differential delay equation	170	(2004)	255–268

- Liu, M.Z., M.H. Song and Z.W. Yang**, Stability of Runge–Kutta methods in the numerical solution of equation $u' \times (t) = au(t) + a_0u([t])$ **166** (2004) 361–370
- Liu, N.**, see **Luo, X.** **163** (2004) 189–197
- Loccufier, M.**, see **Luyckx, L.** **168** (2004) 289–297
- Lopez, L.**, see **Dieci, L.** **164–165** (2004) 255–264
- Lötstedt, P., A. Ramage, L. von Sydow and S. Söderberg**, Preconditioned implicit solution of linear hyperbolic equations with adaptivity **170** (2004) 269–289
- Lozier, D.W.**, see **Fabijonas, B.R.** **161** (2003) 179–192
- Lu, S. and W. Ge**, Existence of positive periodic solutions for neutral logarithmic population model with multiple delays **166** (2004) 371–383
- Lu, Y.Y.**, Computing a matrix function for exponential integrators **161** (2003) 203–216
- Lu, Z., X. Chi and L. Chen**, Global attractivity of nonautonomous stage-structured population models with dispersal and harvest **166** (2004) 411–425
- Lui, S.-H.**, On monotone iteration and Schwarz methods for nonlinear parabolic PDEs **161** (2003) 449–468
- Luo, X., N. Liu and C. Gao**, Fairing geometric modeling based on 4-point interpolatory subdivision scheme **163** (2004) 189–197
- Luo, X.**, see **Wang, R.** **163** (2004) 277–285
- Luyckx, L., M. Loccufier and E. Noldus**, Computational methods in nonlinear stability analysis: stability boundary calculations **168** (2004) 289–297
- Lybaert, P.**, see **Feldheim, V.** **168** (2004) 179–190
- Maazouz, A., A. Mikelic, J. Pousin and E. Zeltz**, Fluid injection model without surface tension for resins in thin molds **164–165** (2004) 517–528
- Maday, Y.**, see **Flemisch, B.** **168** (2004) 191–205
- Maes, J., E. Vanraes, P. Dierckx and A. Bultheel**, On the stability of normalized Powell–Sabin B-splines **170** (2004) 181–196
- Magherini, C.**, see **Brugnano, L.** **164–165** (2004) 145–158
- Mahmoud, M.S., P. Shi and A. Ismail**, Robust Kalman filtering for discrete-time Markovian jump systems with parameter uncertainty **169** (2004) 53–69
- Maklakov, D.V.**, Some remarks on the exact solution for an optimal impermeable parachute problem **166** (2004) 591–596
- Malengier, B.**, Parameter identification in stationary groundwater flow problems in drainage basins **168** (2004) 299–307
- Malfliet, W.**, The tanh method: a tool for solving certain classes of nonlinear evolution and wave equations **164–165** (2004) 529–541
- Mallier, R. and G. Alobaidi**, Interest rate swaps under CIR **164–165** (2004) 543–554
- Mallier, R.**, see **Smith, C.J.** **166** (2004) 281–290
- Manni, C.**, see **Farouki, R.T.** **162** (2003) 365–392

Marinković, S.D., B. Danković, M.S. Stanković and P.M. Rajković , Orthogonality of some sequences of the rational functions and the Müntz polynomials	163	(2004)	419–427
Markov, S. , On quasilinear spaces of convex bodies and intervals	162	(2003)	93–112
Marletta, M. , see Ghelardoni, P.	164–165	(2004)	323–335
Maschke, E.K. , see Berroukeche, M.	170	(2004)	291–301
Maset, S. , Numerical solution of retarded functional differential equations as abstract Cauchy problems	161	(2003)	259–282
Masset, L. and J.-F. Debonnie , Machining processes simulation: specific finite element aspects	168	(2004)	309–320
Mastroianni, G. and D. Occorsio , Markov–Sonin Gaussian rule for singular functions	169	(2004)	197–212
Mastroianni, G. , see De Bonis, M.C.	164–165	(2004)	225–243
Mastronardi, N. , see Van Camp, E.	164–165	(2004)	731–747
Matos, J., M.J. Rodrigues and P.B. Vasconcelos , New implementation of the Tau method for PDEs	164–165	(2004)	555–567
Matsuo, T. , see Sugihara, M.	164–165	(2004)	673–689
Mauss, J. , see Cousteix, J.	166	(2004)	101–122
Meek, D.S. and D.J. Walton , An arc spline approximation to a clothoid	170	(2004)	59– 77
Meek, D.S. and D.J. Walton , A note on finding clothoids	170	(2004)	433–453
Mekky, M.L. , see Abd-el-Malek, M.B.	164–165	(2004)	11– 24
Melkebeek, J. , see Sergeant, P.	168	(2004)	437–446
Merci, B. , see Vierendeels, J.	168	(2004)	509–517
Mikelic, A. , see Maazouz, A.	164–165	(2004)	517–528
Mikula, K. and F. Sgallari , Semi-implicit finite volume scheme for image processing in 3D cylindrical geometry	161	(2003)	119–132
Miller, J.J.H., G.I. Shishkin, B. Koren and L.P. Shishkina , Grid approximation of a singularly perturbed boundary value problem modelling heat transfer in the case of flow over a flat plate with suction of the boundary layer	166	(2004)	221–232
Miller, J.J.H. , see Farrell, P.A.	166	(2004)	133–151
Miller, J.J.H. , see Wang, S.	166	(2004)	ix
Milovanović, G.V. and M.M. Spalević , Error analysis in some Gauss–Turán–Radau and Gauss–Turán–Lobatto quadratures for analytic functions	164–165	(2004)	569–586
Minamoto, T. , Numerical method with guaranteed accuracy of a double turning point for a radially symmetric solution of the perturbed Gelfand equation	169	(2004)	151–160
Mishra, S.K., S.Y. Wang and K.K. Lai , Complex minimax programming under generalized convexity	167	(2004)	59– 71
Mittal, R.C. , see Mukherjee, S.	170	(2004)	461–466
Mittelmann, H.D. , see Berrut, J.-P.	164–165	(2004)	81– 92
Moodie, T.B. , see D’Alessio, S.J.D.	170	(2004)	1– 25
Mori, M. , see Muhammad, M.	161	(2003)	431–448
Morimoto, M. , see Niki, H.	164–165	(2004)	587–600

- Muhammad, M.** and **M. Mori**, Double exponential formulas for numerical indefinite integration 161 (2003) 431–448
- Mühlbach, G.**, see **Buchwald, B.** 167 (2004) 271–291
- Muir, P.**, see **Wang, R.** 169 (2004) 127–150
- Mukherjee, S.**, **Satakshi** and **R.C. Mittal**, Discrete system order reduction using multipoint step response matching 170 (2004) 461–466
- Nachaoui, A.**, Numerical linear algebra for reconstruction inverse problems 162 (2003) 147–164
- Nachaoui, A.**, see **Essaouini, M.** 162 (2003) 165–181
- Nagatou, K.**, A computer-assisted proof on the stability of the Kolmogorov flows of incompressible viscous fluid 169 (2004) 33–44
- Naire, S.**, **R.J. Braun** and **S.A. Snow**, A 2+1 dimensional insoluble surfactant model for a vertical draining free film 166 (2004) 385–410
- Najib, K.**, **D. Sandri** and **A.-M. Zine**, On a posteriori estimates for a linearized Oldroyd's problem 167 (2004) 345–361
- Nakao, M.T.**, see **Ryoo, C.S.** 161 (2003) 405–416
- Nguyen-Dang, H.**, see **Duflot, M.** 168 (2004) 155–164
- Nicolet, A.**, **S. Guenneau**, **C. Geuzaine** and **F. Zolla**, Modelling of electromagnetic waves in periodic media with finite elements 168 (2004) 321–329
- Niki, H.**, **K. Harada**, **M. Morimoto** and **M. Sakakihara**, The survey of preconditioners used for accelerating the rate of convergence in the Gauss–Seidel method 164–165 (2004) 587–600
- Noels, L.**, **L. Stainier** and **J.-P. Ponthot**, Combined implicit/explicit time-integration algorithms for the numerical simulation of sheet metal forming 168 (2004) 331–339
- Noldus, E.**, see **Luyckx, L.** 168 (2004) 289–297
- Noskov, M.V.** and **H.J. Schmid**, On the number of nodes in n -dimensional cubature formulae of degree 5 for integrals over the ball 169 (2004) 247–254
- Notaris, S.E.**, New interpolatory quadrature formulae with Gegenbauer abscissae 161 (2003) 295–312
- Noubary, F.** and **R. Noubary**, On survival times of sport records 169 (2004) 227–234
- Noubary, R.**, see **Noubary, F.** 169 (2004) 227–234
- Nouisser, O.** and **D. Sbibi**, Interpolation by new B-splines on a four directional mesh of the plane 162 (2003) 287–298
- O'Riordan, E.** and **G.I. Shishkin**, Singularly perturbed parabolic problems with non-smooth data 166 (2004) 233–245
- O'Riordan, E.**, see **Farrell, P.A.** 166 (2004) 133–151
- Occorsio, D.**, see **Mastroianni, G.** 169 (2004) 197–212
- Olde Daalhuis, A.B.**, On higher-order Stokes phenomena of an inhomogeneous linear ordinary differential equation 169 (2004) 235–246
- Ombach, J.**, see **Bielecki, A.** 164–165 (2004) 107–115
- Orsi, A.P.**, see **Baratella, P.** 163 (2004) 401–418
- Özer, T.**, On symmetry group properties and general similarity forms of the Benney equations in the Lagrangian variables 169 (2004) 297–313

Pandey, R.K. and A.K. Singh , On the convergence of a finite difference method for a class of singular boundary value problems arising in physiology	166	(2004)	553–564
Pantalé, O., S. Caperaa and R. Rakotomalala , Development of an object-oriented finite element program: application to metal-forming and impact simulations	168	(2004)	341–351
Papi, S. , see Bacchelli, S.	164–165	(2004)	39– 52
Pardhanani, A. , see Carey, G.	166	(2004)	87– 99
Pareschi, L. , see Banda, M.K.	168	(2004)	41– 52
Paris, R.B. , On the use of Hadamard expansions in hyperasymptotic evaluation of Laplace-type integrals. I: real variable	167	(2004)	293–319
Paris, R.B. , On the use of Hadamard expansions in hyperasymptotic evaluation of Laplace-type integrals: II. complex variable	167	(2004)	321–343
Pasadas, M. , see Kouibia, A.	164–165	(2004)	455–467
Pascal, J.P. , see D'Alessio, S.J.D.	170	(2004)	1– 25
Pasquetti, R. , On inverse methods for the resolution of the Gibbs phenomenon	170	(2004)	303–315
Petković, M.S. and L. Rančić , On the guaranteed convergence of the square-root iteration method	170	(2004)	169–179
Petrova, G. , Cubature formulae for spheres, simplices and balls	162	(2003)	483–496
Pinnau, R. , see Seaid, M.	170	(2004)	217–239
Pluymers, B., W. Desmet, D. Vandepitte and P. Sas , Application of an efficient wave-based prediction technique for the analysis of vibro-acoustic radiation problems	168	(2004)	353–364
Podhaisky, H. , see Jackiewicz, Z.	167	(2004)	389–403
Ponthot, J.-P. , see Noels, L.	168	(2004)	331–339
Pop, I.S., F. Radu and P. Knabner , Mixed finite elements for the Richards' equation: linearization procedure	168	(2004)	365–373
Portillo, A. , see Calvo, M.P.	169	(2004)	333–344
Potier-Ferry, M. , see Aggoune, W.	168	(2004)	1– 9
Potier-Ferry, M. , see Boutyour, E.H.	168	(2004)	77– 85
Potier-Ferry, M. , see Daya, E.M.	168	(2004)	117–124
Potts, D. , see Kunis, S.	161	(2003)	75– 98
Pousin, J. , see Maazouz, A.	164–165	(2004)	517–528
Qian, X. and X. Huang , Reconstruction of surfaces of revolution with partial sampling	163	(2004)	211–217
Qiao, S. , see Diao, H.	167	(2004)	147–161
Rademacher, S. , see Steinebach, G.	168	(2004)	459–470
Radu, F. , see Pop, I.S.	168	(2004)	365–373
Rajković, P.M. , see Marinković, S.D.	163	(2004)	419–427
Rakotomalala, R. , see Pantalé, O.	168	(2004)	341–351
Ramage, A. , see Lötstedt, P.	170	(2004)	269–289
Rančić, L. , see Petković, M.S.	170	(2004)	169–179

- Randrianarivony, M.**, Anisotropic finite elements for the Stokes problem: a posteriori error estimator and adaptive mesh 169 (2004) 255–275
- Ranjbar-Kani, A.A.**, see **Hooman, K.** 162 (2003) 411–419
- Rapetti, F.**, see **Flemisch, B.** 168 (2004) 191–205
- Rappoport, J.M.**, see **Fabijonas, B.R.** 161 (2003) 179–192
- Rassineux, A.**, see **Chamoret, D.** 168 (2004) 107–116
- Rathie, A.K., Y.S. Kim and H.K. Song**, Another method for a new two-term relation for the hypergeometric function ${}_3F_2$ due to Exton 167 (2004) 485–487
- Reichel, W.**, see **Horák, J.** 161 (2003) 313–338
- Remešíková, M.**, Solution of convection–diffusion problems with nonequilibrium adsorption 169 (2004) 101–116
- Renard, Y.**, see **Slimane, L.** 170 (2004) 121–143
- Renouf, M., F. Dubois and P. Alart**, A parallel version of the non smooth contact dynamics algorithm applied to the simulation of granular media 168 (2004) 375–382
- Rentrop, P.**, see **Steinebach, G.** 168 (2004) 459–470
- Repin, S., S. Sauter and A. Smolianski**, A posteriori error estimation for the Poisson equation with mixed Dirichlet/Neumann boundary conditions 164–165 (2004) 601–612
- Rivero, C., Á. Castillo, P.J. Zufiria and T. Valdés**, Global dynamics of a system governing an algorithm for regression with censored and non-censored data under general errors 166 (2004) 535–551
- Rixen, D.J.**, A dual Craig–Bampton method for dynamic substructuring 168 (2004) 383–391
- Rodrigues, M.J.**, see **Matos, J.** 164–165 (2004) 555–567
- Rogina, M.**, see **Limić, N.** 164–165 (2004) 493–516
- Ronveaux, A.**, see **Foupouagnigni, M.** 162 (2003) 299–326
- Rößler, A.**, Runge–Kutta methods for Stratonovich stochastic differential equation systems with commutative noise 164–165 (2004) 613–627
- Rouillier, F. and P. Zimmermann**, Efficient isolation of polynomial's real roots 162 (2003) 33–50
- Royis, P.**, see **Laouafa, F.** 164–165 (2004) 469–491
- Ruas, V., J.H. Carneiro de Araujo and M.A.M. Silva Ramos**, Multi-field finite element methods with discontinuous pressures for axisymmetric incompressible flow 168 (2004) 393–402
- Rubio, M.J.**, see **Hernández, M.A.** 164–165 (2004) 409–417
- Rundell, W. and P. Sacks**, Numerical technique for the inverse resonance problem 170 (2004) 337–347
- Ryoo, C.S. and M.T. Nakao**, Numerical verification of solutions for obstacle problems 161 (2003) 405–416
- Sabariego, R.V., J. Gyselinck, C. Geuzaine, P. Dular and W. Legros**, Application of the fast multipole method to hybrid finite element–boundary element models 168 (2004) 403–412
- Sacco, R.**, see **Causin, P.** 168 (2004) 95–105
- Sacks, P.**, see **Rundell, W.** 170 (2004) 337–347

Saillard, P. , see Chamoret, D.	168	(2004)	107–116
Saito, N. , A holomorphic semigroup approach to the lumped mass finite element method	169	(2004)	71– 85
Sakakihara, M. , see Niki, H.	164–165	(2004)	587–600
Sakurai, T. , see Kravanja, P.	161	(2003)	339–347
Sandri, D. , see Najib, K.	167	(2004)	345–361
Santallusia, X. , see Giné, J.	166	(2004)	465–476
Saramito, B. , see Berroukeche, M.	170	(2004)	291–301
Sas, P. , see Pluymers, B.	168	(2004)	353–364
Satakshi , see Mukherjee, S.	170	(2004)	461–466
Sato, K. , see Du, N.H.	170	(2004)	399–422
Saucez, P. , A. Vande Wouwer , W.E. Schiesser and P. Zegeling , Method of lines study of nonlinear dispersive waves	168	(2004)	413–423
Sauter, S. , see Repin, S.	164–165	(2004)	601–612
Sbibih, D. , see Ameur, E.B.	162	(2003)	273–286
Sbibih, D. , see Nouisser, O.	162	(2003)	287–298
Schiesser, W.E. , see Saucez, P.	168	(2004)	413–423
Schittkowski, K. , Data fitting in partial differential algebraic equations: some academic and industrial applications	163	(2004)	29– 57
Schmid, H.J. , see Noskov, M.V.	169	(2004)	247–254
Schmidt, D. , see Cahlon, B.	170	(2004)	79–102
Schulz, M. , see Steinebach, G.	168	(2004)	459–470
Schulz, V. , Simultaneous solution approaches for large optimization problems	164–165	(2004)	629–641
Scitovski, R. , see Jukić, D.	169	(2004)	359–375
Seaïd, M. , A. Klar and B. Dubroca , Flux limiters in the coupling of radiation and hydrodynamic models	168	(2004)	425–435
Seaïd, M. , M. Frank , A. Klar , R. Pinnau and G. Thömmes , Efficient numerical methods for radiation in gas turbines	170	(2004)	217–239
Seaïd, M. , see Banda, M.K.	168	(2004)	41– 52
Sedjelmaci, S.M. , A modular reduction for GCD computation	162	(2003)	17– 31
Sentis, R. , see Benamou, J.-D.	167	(2004)	91–134
Sergeant, P. , L. Dupré , J. Melkebeek and L. Vandenbossche , Magnetic field computation for optimized shielding of induction heaters	168	(2004)	437–446
Sesma, J. , The Temme's sum rule for confluent hypergeometric functions revisited	163	(2004)	429–431
Sestini, A. , see Farouki, R.T.	162	(2003)	365–392
Sgallari, F. , see Mikula, K.	161	(2003)	119–132
Shahmir, A. , see Bazdidi-Tehrani, F.	168	(2004)	53– 63
Shen, J. , see Shi, Z.-J.	170	(2004)	349–370
Shepherd, J.J. , see Aliu, E.	166	(2004)	1– 12
Shi, P. , see Mahmoud, M.S.	169	(2004)	53– 69
Shi, X. , see Liu, F.	169	(2004)	459–474
Shi, Z.-J. and J. Shen , A gradient-related algorithm with inexact line searches	170	(2004)	349–370
Shibata, M. , see Watanabe, M.	161	(2003)	133–144

Shin, Y. , see Ahn, Y.J.	167	(2004)	405–416
Shishkin, G.I. , Discrete approximations of solutions and derivatives for a singularly perturbed parabolic convection–diffusion equation	166	(2004)	247–266
Shishkin, G.I. , Limitations of adaptive mesh refinement techniques for singularly perturbed problems with a moving interior layer	166	(2004)	267–280
Shishkin, G.I. , see Farrell, P.A.	166	(2004)	133–151
Shishkin, G.I. , see Miller, J.J.H.	166	(2004)	221–232
Shishkin, G.I. , see O’Riordan, E.	166	(2004)	233–245
Shishkina, L.P. , see Miller, J.J.H.	166	(2004)	221–232
Shizgal, B.D. and J.-H. Jung , Towards the resolution of the Gibbs phenomena	161	(2003)	41– 65
Si, J. and W. Zhang , Analytic solutions of a class of iterative functional differential equations	162	(2003)	467–481
Siew, P.F. , see Wiwatanapapthee, B.	166	(2004)	307–319
Silva Ramos, M.A.M. , see Ruas, V.	168	(2004)	393–402
Sima, D.M. , see Sima, V.	170	(2004)	371–397
Sima, V. , D.M. Sima and S. Van Huffel , High-performance numerical algorithms and software for subspace-based linear multivariable system identification	170	(2004)	371–397
Sin, V.-k. , see Jin, X.-Q.	162	(2003)	201–211
Sin, V.-k. , see Jin, X.-q.	162	(2003)	431–444
Singh, A.K. , see Pandey, R.K.	166	(2004)	553–564
Slimane, L. and Y. Renard , The treatment of the locking phenomenon for a general class of variational inequalities	170	(2004)	121–143
Slodička, M. , An approximation scheme for a nonlinear degenerate parabolic equation with a second-order differential Volterra operator	168	(2004)	447–458
Slodička, M. , see Cimrák, I.	169	(2004)	17– 32
Sluys, L.J. , see De Proft, K.	168	(2004)	135–144
Smaoui, N. and S. Al-Enezi , Modelling the dynamics of nonlinear partial differential equations using neural networks	170	(2004)	27– 58
Smirnov, Y.F. and C. Campigotto , The quantum q -Krawtchouk and q -Meixner polynomials and their related D -functions for the quantum groups $SU_q(2)$ and $SU_q(1,1)$	164–165	(2004)	643–660
Smith, C.J. and R. Mallier , Removing the separation singularity in a barotropic ocean with bottom friction	166	(2004)	281–290
Smith, M.I. , see Davies, P.I.	170	(2004)	145–167
Smolianski, A. , see Repin, S.	164–165	(2004)	601–612
Snegovski, D.V. , see Danilin, A.N.	164–165	(2004)	207–224
Snow, S.A. , see Naire, S.	166	(2004)	385–410
Söderberg, S. , see Lötstedt, P.	170	(2004)	269–289
Sollic, I. , see Benamou, J.-D.	167	(2004)	91–134
Song, H.K. , see Rathie, A.K.	167	(2004)	485–487
Song, L.-l. , see Jin, X.-Q.	162	(2003)	201–211

Song, L.-l. , see Jin, X.-q.	162	(2003)	431–444
Song, M.H. , see Liu, M.Z.	166	(2004)	361–370
Souhar, O. , see Guessous, N.	162	(2003)	231–246
Spalević, M.M. , see Milovanović, G.V.	164–165	(2004)	569–586
Staelens, A. , see Carey, G.	166	(2004)	87– 99
Stainier, L. , see Noels, L.	168	(2004)	331–339
Stanković, M.S. , see Marinković, S.D.	163	(2004)	419–427
Steinebach, G., S. Rademacher, P. Rentrop and M. Schulz, Mechanisms of coupling in river flow simulation systems	168	(2004)	459–470
Stergioulas, L.K. and A. Vourdas, The Bargmann analytic representation in signal analysis	167	(2004)	183–192
Stewart, W.J. , see Langville, A.N.	167	(2004)	429–447
Styš, T. , A higher accuracy finite difference method for an elliptic equation of order four	164–165	(2004)	661–672
Suárez, J.P. , see Abad, P.	164–165	(2004)	1– 10
Sudate, Y. , see Watanabe, M.	161	(2003)	133–144
Sugihara, M. and T. Matsuo, Recent developments of the Sinc numerical methods	164–165	(2004)	673–689
Sugiura, H. , see Kravanja, P.	161	(2003)	339–347
Sun, H.-R. , see Li, W.-T.	162	(2003)	421–430
Surla, K. and Z. Uzelac, A uniformly accurate spline collocation method for a normalized flux	166	(2004)	291–305
Swann, H. , On solenoidal high-degree polynomial approxima- tions to solutions of the stationary Navier–Stokes equations	164–165	(2004)	691–706
Syam, M.I. , Finding all real zeros of polynomial systems using multi-resultant	167	(2004)	417–428
Takeuchi, Y. , see Du, N.H.	170	(2004)	399–422
Tan, J. and P. Jiang, A Neville-like method via continued fractions	163	(2004)	219–232
Tan, J.-q. , see Zhao, H.-x.	163	(2004)	343–350
Tang, C., H. Yan, H. Zhang and W. Li, The various order explicit multistep exponential fitting for systems of ordinary differential equations	169	(2004)	171–182
Taşeli, H. , Accurate numerical bounds for the spectral points of singular Sturm–Liouville problems over $0 < x < \infty$	164–165	(2004)	707–722
Teo, K.L. , see Huang, C.-S.	166	(2004)	153–166
Theuns, E., J. Vierendeels and P. Vandewelde, Validation of the integral model for the pyrolysis of charring materials with a moving grid	168	(2004)	471–479
Thömmes, G. , see Seaïd, M.	170	(2004)	217–239
Tian, J. , see Guo, Y.	169	(2004)	345–357
Tian, Y. , see Li, Z.	163	(2004)	165–176
To, K.N. and C.C. Lim, Perturbation to enhance support vector machines for classification	163	(2004)	233–239
Torra, V. , see Domingo-Ferrer, J.	164–165	(2004)	285–293

- Tselyaev, V.I.**, A generalized Numerov method for linear second-order differential equations involving a first derivative term **170** (2004) 103–120
- Turner, I.**, see **Liu, F.** **166** (2004) 209–219
- Uesaka, H.**, Oscillation or nonoscillation property for semi-linear wave equations **164–165** (2004) 723–730
- Unyong, B.**, see **Wiwatanapatapee, B.** **166** (2004) 307–319
- Ushijima, T.K.** and **S. Yazaki**, Convergence of a crystalline approximation for an area-preserving motion **166** (2004) 427–452
- Uzelac, Z.**, see **Surla, K.** **166** (2004) 291–305
- Vaassen, J.-M.**, **P. Wautelet** and **J.-A. Essers**, Application of a third-order reconstruction scheme to hypersonic reacting flows using unstructured meshes and multigrid techniques **168** (2004) 481–489
- Valdés, T.**, see **Rivero, C.** **166** (2004) 535–551
- Van Barel, M.**, see **Bultheel, A.** **164–165** (2004) 175–194
- Van Barel, M.**, see **Kravanja, P.** **161** (2003) 339–347
- Van Barel, M.**, see **Van Camp, E.** **164–165** (2004) 731–747
- Van Camp, E.**, **N. Mastronardi** and **M. Van Barel**, Two fast algorithms for solving diagonal-plus-semiseparable linear systems **164–165** (2004) 731–747
- Van Deun, J.** and **A. Bultheel**, An interpolation algorithm for orthogonal rational functions **164–165** (2004) 749–762
- Van Dooren, P.**, see **Gallivan, K.** **162** (2003) 213–229
- Van gucht, P.**, see **Bultheel, A.** **164–165** (2004) 175–194
- Van Huffel, S.**, see **Sima, V.** **170** (2004) 371–397
- Van Impe, R.**, see **Vanlaere, W.** **168** (2004) 501–508
- Vande Voorde, J.**, **J. Vierendeels** and **E. Dick**, Flow simulations in rotary volumetric pumps and compressors with the fictitious domain method **168** (2004) 491–499
- Vande Wouwer, A.**, see **Saucez, P.** **168** (2004) 413–423
- Vandenbossche, L.**, see **Sergeant, P.** **168** (2004) 437–446
- Vandendorpe, A.**, see **Gallivan, K.** **162** (2003) 213–229
- Vandepitte, D.**, see **Pluymers, B.** **168** (2004) 353–364
- Vandeveld, P.**, see **Theuns, E.** **168** (2004) 471–479
- Vandewalle, S.**, see **Lahaye, D.** **168** (2004) 267–275
- Vandewalle, S.**, see **Zhang, C.** **164–165** (2004) 797–814
- Vanlaere, W.**, **P. Buffel**, **G. Lagae**, **R. Van Impe** and **J. Belis**, Neural networks for assessing the failure load of a construction **168** (2004) 501–508
- Vanraes, E.**, see **Maes, J.** **170** (2004) 181–196
- Vasconcelos, P.B.**, see **Matos, J.** **164–165** (2004) 555–567
- Vierendeels, J.**, **B. Merci** and **E. Dick**, A multigrid method for natural convective heat transfer with large temperature differences **168** (2004) 509–517
- Vierendeels, J.**, see **Theuns, E.** **168** (2004) 471–479

Vierendeels, J. , see Vande Voorde, J.	168	(2004)	491–499
Villard, G. , see Kaltofen, E.	162	(2003)	133–146
Volkov, V.I. , see Anuchina, N.N.	168	(2004)	11– 20
Volkov-Bogorodski, D.B. , see Danilin, A.N.	164–165	(2004)	207–224
von Sydow, L. , see Lötstedt, P.	170	(2004)	269–289
Vourdas, A. , see Stergioulas, L.K.	167	(2004)	183–192
Vovelle, J. , see Eymard, R.	161	(2003)	349–369
Walczak, S. , see Bors, D.	164–165	(2004)	117–130
Walton, D.J. , see Meek, D.S.	170	(2004)	433–453
Walton, D.J. , see Meek, D.S.	170	(2004)	59– 77
Wang, C. , see Chen, S.	169	(2004)	117–125
Wang, J. and C. Gu , Vector valued Thiele–Werner-type osculatory rational interpolants	163	(2004)	241–252
Wang, J.-X. , see Wang, R.-H.	163	(2004)	253–257
Wang, L. and X. Zou , Hopf bifurcation in bidirectional associative memory neural networks with delays: analysis and computation	167	(2004)	73– 90
Wang, L.-L. and W.-T. Li , Periodic solutions and permanence for a delayed nonautonomous ratio-dependent predator–prey model with Holling type functional response	162	(2003)	341–357
Wang, P. , see Feng, C.	161	(2003)	67– 74
Wang, R. , P. Keast and P. Muir , A comparison of adaptive software for 1D parabolic PDEs	169	(2004)	127–150
Wang, R. , Y. Li , F. You and X. Luo , Rational recurrence curves and recurrence surfaces in multivariate B-form on some regions	163	(2004)	277–285
Wang, R.-H. and C. Zheng , Cubic Hermite–Padé approxima- tion to the exponential function	163	(2004)	259–268
Wang, R.-H. and C.-G. Zhu , Cayley–Bacharach theorem of piecewise algebraic curves	163	(2004)	269–276
Wang, R.-H. and J.-X. Wang , Quasi-interpolations with interpolation property	163	(2004)	253–257
Wang, R.-H. , see Li, C.-J.	163	(2004)	155–164
Wang, S. and J.J.H. Miller , Preface	166	(2004)	ix
Wang, S. , A smooth surface interpolation to 3D triangulations	163	(2004)	287–293
Wang, S. , see Huang, C.-S.	166	(2004)	153–166
Wang, S. , see Li, Z.-C.	166	(2004)	181–208
Wang, S.Y. , see Mishra, S.K.	167	(2004)	59– 71
Wang, Z.-D. and T.-Z. Huang , Comparison results between Jacobi and other iterative methods	169	(2004)	45– 51
Wan-Xie, Z. , On precise integration method	163	(2004)	59– 78
Watanabe, M. , F. Kawai , M. Shibata , S. Yokoyama and Y. Sudate , Computational method for analysis of polyethylene biodegradation	161	(2003)	133–144
Wautelet, P. , see Vaassen, J.-M.	168	(2004)	481–489
Wei, M. , see Chao, H.	163	(2004)	91–100
Wei, Y. , see Diao, H.	167	(2004)	147–161

Weiland, T. , see De Gersem, H.	168	(2004)	125–133
Weiner, R. , see Jackiewicz, Z.	167	(2004)	389–403
Winkler, R. , Erratum to: “Stochastic differential algebraic equations of index 1 and applications in circuit simulation” [J. Comput. Appl. Math. 157 (2003) 477–505]	163	(2004)	433–433
Winkler, R. , Stochastic differential algebraic equations of index 1 and applications in circuit simulation	163	(2004)	435–463
Wiwatanapatapee, B., Y.H. Wu, J. Archapitak, P.F. Siew and B. Unyong , A numerical study of the turbulent flow of molten steel in a domain with a phase-change boundary	166	(2004)	307–319
Wohlmuth, B.I. , see Flemisch, B.	168	(2004)	191–205
Wong, P.J.Y. , Abel–Gontscharoff interpolation: continuous, discrete and time scale	164–165	(2004)	763–782
Wright, R.K. , Local spline approximation of discontinuous functions and location of discontinuities, given low-order Fourier coefficient information	164–165	(2004)	783–795
Wu, W. , see Li, Z.	163	(2004)	165–176
Wu, X. , see Jin, J.	170	(2004)	197–216
Wu, Y.H. , see Wiwatanapatapee, B.	166	(2004)	307–319
Xenophontos, C.A. , see Fulton, S.R.	167	(2004)	465–483
Xia, X. , see Liu, F.	169	(2004)	459–474
Xu, G. , Surface fairing and featuring by mean curvature motions	163	(2004)	295–309
Yan, A. , see Knowles, I.	169	(2004)	1– 15
Yan, H. , see Tang, C.	169	(2004)	171–182
Yang, L. , see Huang, D.	163	(2004)	139–153
Yang, W.B., H.Q. Zhang, C.K. Chan and W.Y. Lin , Large eddy simulation of mixing layer	163	(2004)	311–318
Yang, Z.W. , see Liu, M.Z.	166	(2004)	361–370
Yazaki, S. , see Ushijima, T.K.	166	(2004)	427–452
Yeh, L.-C. , A singularly perturbed reaction–diffusion problem with inhomogeneous environment	166	(2004)	321–341
Yi, L. , see Zhongxuan, L.	163	(2004)	199–210
Yingxi, L. , see Zhongxuan, L.	163	(2004)	199–210
Yokoyama, S. , see Watanabe, M.	161	(2003)	133–144
You, F. , see Wang, R.	163	(2004)	277–285
Yu, K.F., K.S. Lau and C.K. Chan , Numerical simulation of gas-particle flow in a single-side backward-facing step flow	163	(2004)	319–331
Yun, J.H. and S.W. Kim , Convergence of two-stage iterative methods using incomplete factorization	166	(2004)	565–580
Zahi, J. , see Addou, A.	162	(2003)	193–199
Zahrouni, H. , see Aggoune, W.	168	(2004)	1– 9
Zahrouni, H. , see Boutyour, E.H.	168	(2004)	77–85
Zegeling, P. , see Saucez, P.	168	(2004)	413–423

- Zegeling, P.A. and H.P. Kok**, Adaptive moving mesh computations for reaction–diffusion systems **168** (2004) 519–528
- Zegeling, P.A.**, Tensor-product adaptive grids based on coordinate transformations **166** (2004) 343–360
- Zeltz, E.**, see **Maazouz, A.** **164–165** (2004) 517–528
- Zhang, C. and S. Vandewalle**, Stability analysis of Volterra delay-integro-differential equations and their backward differentiation time discretization **164–165** (2004) 797–814
- Zhang, H.**, see **Tang, C.** **169** (2004) 171–182
- Zhang, H.Q.**, see **Yang, W.B.** **163** (2004) 311–318
- Zhang, J.**, see **Liang, X.Z.** **163** (2004) 177–187
- Zhang, L.**, see **Deng, Y.** **163** (2004) 101–106
- Zhang, Q.**, see **Chen, S.** **169** (2004) 117–125
- Zhang, W.**, see **Si, J.** **162** (2003) 467–481
- Zhang, Z. and D. Huang**, Parameterization of m band affine frames with pre-assigned scaling filter **163** (2004) 333–342
- Zhang, Z. and K. Li**, Spike-layered solutions with compact support to some singularly perturbed quasilinear elliptic problems in general smooth domains **162** (2003) 327–340
- Zhao, H.-x., G. Zhu and J. Tan**, A Śleszyński–Pringsheim theorem for vector valued continued fractions and its optimal error bounds **163** (2004) 343–350
- Zheng, C.**, see **Wang, R.-H.** **163** (2004) 259–268
- Zhongxuan, L., L. Fengzhi, L. Yingxi and L. Yi**, Effect of the environmental atmosphere on heat, water and gas transfer within hygroscopic fabrics **163** (2004) 199–210
- Zhou, D.**, see **Li, R.** **169** (2004) 213–225
- Zhou, Y.-s.**, see **Guan, Y.-j.** **163** (2004) 117–126
- Zhu, C.-G.**, see **Wang, R.-H.** **163** (2004) 269–276
- Zhu, D.**, A new affine scaling interior point algorithm for nonlinear optimization subject to linear equality and inequality constraints **161** (2003) 1– 25
- Zhu, G.-q.**, see **Zhao, H.-x.** **163** (2004) 343–350
- Zimmermann, P.**, see **Rouillier, F.** **162** (2003) 33– 50
- Zine, A.-M.**, see **Najib, K.** **167** (2004) 345–361
- Zolla, F.**, see **Nicolet, A.** **168** (2004) 321–329
- Zou, X.**, see **Wang, L.** **167** (2004) 73– 90
- Zufiria, P.J.**, see **Rivero, C.** **166** (2004) 535–551